

FIFTH WHEEL TOP PLATES QUICK GUIDE



Wheelco
*Customer Driven
Since 1961*

SAF HOLLAND ELI-te™ TOP PLATE

**SAF HOLLAND ELI-TE | PN: XA-351-A-1L-L-P
CAN INTERCHANGE WITH ANY FW35!**

**The HOLLAND ELI-te™ Fifth Wheel Coupling Assistant helps drivers GET IT RIGHT!
FAILED COUPLING**

FAILED COUPLING

- A failed coupling attempt triggers flashing red warning lights, alerting drivers to hazards before they happen.

SUCCESSFUL COUPLING

- A successful coupling turns on high-intensity inspection lamps in the fifth wheel throat, making lock inspection easier and more reliable.



OUR MOST POPULAR FIFTH WHEEL TOP PLATES

**SAF HOLLAND FW35 | PN: XA-351-A-L-P
THE WORLD'S MOST POPULAR FIFTH WHEEL.**

**LOAD CAPACITY: 55,000 lbs Vertical Load
PULL CAPACITY: 150,000 lbs. Drawbar Pull**

- No Lube Articulation Pocket Liners
- Cast Steel Top Plate
- Precision TwinLock Mechanism
- Greater Kingpin-to-Lock Jaw Contact
- Visible Lock Indicator
- Easy Lock Adjustment
- E-Z Grip™ Release Handle
- 6-Year/600,000 Mile Performance Guarantee*



**SAF HOLLAND FW31 | PN: XA-311-A-L-P
AN OVER-THE-ROAD, FIFTH WHEEL WITH NOLUBE TECHNOLOGY.**

**LOAD CAPACITY: 55,000 lbs. Vertical Load
PULL CAPACITY: 150,000 lbs. Drawbar Pull**

- Patented Lube Plate Inserts
- Low Friction Coated Locking Mechanism
- No Lube Articulation Pocket Liners
- Cast Steel Top Plate
- Precision TwinLock Mechanism
- Visible Lock Indicator
- Easy Lock Adjustment
- E-Z Grip™ Release Handle
- 6-Year/600,000 Mile Performance Guarantee*



Check out our entire inventory for complete product listings. *Rules & Restrictions may apply.

Sioux Falls, SD
800.952.3674

Mitchell, SD
888.996.8415

Watertown, SD
888.590.7080

St. Cloud, MN
888.704.4242

St. Paul, MN
651.459.1487

Savage, MN
952.373.8130

POPULAR TOP PLATES

SAF HOLLAND FWS1 TOP PLATE | PN: XA-S1-A-L-P
ONE OF THE LIGHTEST, MOST DURABLE REPLACEMENT FIFTH WHEEL TOP PLATES AVAILABLE.

TOP PLATE WEIGHT: 222 lbs. (XA-S1-A-L-P)
LOAD CAPACITY: 50,000 lbs. Vertical Load
PULL CAPACITY: 150,000 lbs. Drawbar Pull

- Simple Lock Adjustment
- NoLube Pocket Inserts
- Improved Release Handle
- Jaw Return Spring
- Visual Safety Indicator
- Guaranteed for 5 Years / 500,000 Miles*



FONTAINE NO-SLACK® 7000 SERIES | PN: SLTPL7000
DURABLE REPLACEMENT FIFTH WHEEL TOP PLATES.

LOAD CAPACITY: 55,000 lbs. Vertical Load
PULL CAPACITY: 150,000 lbs. Drawbar Pull

- Patented self-adjusting No-Slack® locking mechanism.
- Secondary lock that can only be released by pulling handle
- The locking trigger helps minimize high-hitching to reduce tractor, trailer and tire damage.
- Automatic, self-adjusting lock for a smooth ride, lower maintenance costs and longer product life.
- Rated for standard to heavy duty applications with a Gross Combination Weight (GCW) less than 140,000 lbs. (63,500 kg.)



JUST | PN: JSK37USL

PROVEN PERFORMANCE AND RELIABILITY | OEM TOP PLATE

LOAD CAPACITY: 50,000 lbs. Vertical Load

PULL CAPACITY: 150,000 lbs. Drawbar Pull

- Replaceable cushion ring reduces lifetime cost of ownership.
- Can be rebuilt in 30 minutes without removing the top plate.
- High couple lugs in throat help prevent high coupling.
- Release handle requires only 60 lbs. of pull.
- Remote grease zerk for easy servicing of the lock jaw.
- Infinite adjustment allows for fine tuning adjustments
- Available in low lube, auto lube and air release models.



JUST | PN: JSK37FSL (Can Replace on Fontaine Mountings)

JUST INTERNATIONAL OFFERS TOP PLATES THAT REPLACE COMPETITIVE MODELS.

MAKING THE CHANGE

- A couple hours is a long time for a rebuild, a Jost replacement wheel will save you time and money. Instead of rebuilding your old worn out wheel, replace it with a brand new Jost.

WARRANTY

- Don't worry about the warranty, receive a new five year warranty with the Jost 5th wheel. Jost will also warrant any unused coverage remaining on your current bracket.



*Rules & Restrictions may apply.

SAF Holland
ORIGINAL PARTS

FONTAINE
PARTS CONNECTION

JUST

SHOP OUR NEW AND INNOVATIVE PRODUCTS.

WHEELCO.COM